

PRODUCT-DETAILS

SPLHC40/40M

SPLHC40 CONDUIT 40M COIL



Product image
not available

General Information

| | |
|-----------------------|---|
| Extended Product Type | SPLHC40/40M |
| Product ID | 7TCA296030R0390 |
| EAN | 5020963800252 |
| Catalog Description | SPLHC40 CONDUIT 40M COIL |
| Long Description | Liquid Tight, Extreme Temperature Covered Steel Flexible Conduit, Medium Flexibility, Nominal Conduit Size 40mm, Outside Diameter 41.8mm, Inside Diameter 35.4mm, Static Bend Radius 180mm, Reel Length 40 Meters, Thermoplastic Rubber Cover with Galvanised Steel Core, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963800252 |
|-----|---------------|

Dimensions

| | |
|----------------------------|--------------------|
| Product Net Depth / Length | 40 m |
| Product Net Weight | 88 lb 39.909 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in |

| | |
|--------------------------------|-------|
| | 25 mm |
| Package Level 2 Height | 1 in |
| | 25 mm |
| Package Level 2 Depth / Length | 1 in |
| | 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Liquid Tight - Extreme Temperature Environments |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | Medium |
| Inside Diameter | 35.4 mm |
| Material | Galvanized Steel Core with Thermoplastic Rubber Cover |
| Nominal Size | 1-1/4 in NC40 |
| Number of Batteries | 0 |
| Outside Diameter | 41.8 mm |
| Product Name | FLEXIBLE METAL CONDUIT |
| Product Type | Extreme Temperature Flexible Conduit |
| Radius | 180 mm |
| UPC | 786210314051 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SPLHC40/40M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SPLHC40/40M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5543 >> Liquid Tight Conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available