

PRODUCT-DETAILS

SSPLHC32/25M

32MM STAINLESS CORE SPLHC



Product image
not available

General Information

| | |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SSPLHC32/25M |
| Product ID | 7TCA296030R0418 |
| EAN | 5020963800931 |
| Catalog Description | 32MM STAINLESS CORE SPLHC |
| Long Description | Liquid Tight, Extreme Temperature Covered Steel Flexible Conduit, Medium Flexibility, Nominal Conduit Size 32mm, Outside Diameter 33.1mm, Inside Diameter 26.7mm, Static Bend Radius 145mm, Reel Length 25 Meters, Thermoplastic Rubber Cover with Stainless Steel Core, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963800931 |
|-----|---------------|

Dimensions

| | |
|----------------------------|-----------------------|
| Product Net Depth / Length | 25 m |
| Product Net Weight | 37.25 lb 16.893 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in |

| | |
|--------------------------------|-------|
| | 25 mm |
| Package Level 2 Height | 1 in |
| | 25 mm |
| Package Level 2 Depth / Length | 1 in |
| | 25 mm |

Additional Information

| | |
|---------------------|------------------------------------------------------|
| Application | Liquid Tight - Extreme Temperature Environments |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | Medium |
| Inside Diameter | 26.7 mm |
| Material | Stainless Steel Core with Thermoplastic Rubber Cover |
| Nominal Size | 1 in NC32 |
| Number of Batteries | 0 |
| Outside Diameter | 33.1 mm |
| Product Name | Flexible Metal Conduit |
| Product Type | Extreme Temperature Flexible Conduit |
| Radius | 145 mm |
| UPC | 786210289816 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 7TKK001231 |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SSPLHC32/25M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5543 >> Liquid Tight Conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available