

PRODUCT-DETAILS

SSAMHL16/25M

16mm STST CORE ANTI MICRO COND 25M



General Information

Extended Product Type	SSAMHL16/25M
Product ID	7TCA296030R0510
EAN	5020963807329
Catalog Description	16mm STST CORE ANTI MICRO COND 25M
Long Description	Liquidtight. Anti-Microbial Conduit, Conduit Size - Metric 16 Millimeters / US Trade Size 3/8 Inch, Outside Diameter 17.8mm, Inside Diameter 12.5mm, Static Bend Radius 50mm, IP40-IP69 Rating, Stainless Steel String Packed with Thermoplastic Jacket, Reel Length 25 Meters, White

Ordering

EAN	5020963807329
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	16.92 lb 7.673 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in

	25 mm
Package Level 2 Height	1 in
	25 mm
Package Level 2 Depth / Length	1 in
	25 mm

Additional Information

Application	Suitable for indoor splash zone areas or food processing equipment
Brand / Label	Adaptaflex
Color	White
Flexibility	High
Inside Diameter	12.5 mm
Material	Galvanised Steel Core, String Packed and Thermoplastic Jacket
Nominal Size	3/8 in
Number of Batteries	0
Outside Diameter	17.8 mm
Product Name	FLEXIBLE METAL CONDUIT
Product Type	Anti-Microbial Conduit
Radius	50 mm
UPC	786210159706

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SSAMHL16/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SSAMHL16/25M

Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5543 >> Liquid Tight Conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

