

PRODUCT-DETAILS

# SSAMHL32/25M

## 32mm STST CORE ANTI MICRO COND 25M



### General Information

Extended Product Type	SSAMHL32/25M
Product ID	7TCA296030R0516
EAN	5020963807381
Catalog Description	32mm STST CORE ANTI MICRO COND 25M
Long Description	Liquidtight. Anti-Microbial Conduit, Conduit Size - Metric 32 Millimeters / US Trade Size 1 Inch, Outside Diameter 33.1mm, Inside Diameter 26.7mm, Static Bend Radius 144mm, IP40-IP69 Rating, Stainless Steel String Packed with Thermoplastic Jacket, Reel Length 25 Meters, White

### Ordering

EAN	5020963807381
-----	---------------

### Dimensions

Product Net Depth / Length	25 m
Product Net Weight	38.31 lb 17.374 kg

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in

	25 mm
Package Level 2 Height	1 in
	25 mm
Package Level 2 Depth / Length	1 in
	25 mm

### Additional Information

Application	Suitable for indoor splash zone areas or food processing equipment
Brand / Label	Adaptaflex
Color	White
Flexibility	High
Inside Diameter	26.7 mm
Material	Galvanised Steel Core, String Packed and Thermoplastic Jacket
Nominal Size	1 in
Number of Batteries	0
Outside Diameter	33.1 mm
Product Name	FLEXIBLE METAL CONDUIT
Product Type	Anti-Microbial Conduit
Radius	144 mm
UPC	786210159768

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SSAMHL32/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SSAMHL32/25M

### Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5543 >> Liquid Tight Conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

