

PRODUCT-DETAILS

SSAMHL50/10M

50mm STST CORE ANTI MICRO COND 10M



General Information

Extended Product Type	SSAMHL50/10M
Product ID	7TCA296030R0518
EAN	5020963807404
Catalog Description	50mm STST CORE ANTI MICRO COND 10M
Long Description	Liquidtight. Anti-Microbial Conduit, Conduit Size - Metric 50 Millimeters / US Trade Size 1-1/2 Inch, Outside Diameter 47.5mm, Inside Diameter 40.4mm, Static Bend Radius 240mm, IP40-IP69 Rating, Stainless Steel Core with Thermoplastic Jacket, Reel Length 10 Meters, White

Ordering

EAN	5020963807404
-----	---------------

Dimensions

Product Net Depth / Length	10 m
Product Net Weight	32.82 lb 14.884 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in

	25 mm
Package Level 2 Height	1 in
	25 mm
Package Level 2 Depth / Length	1 in
	25 mm

Additional Information

Application	Suitable for indoor splash zone areas or food processing equipment
Brand / Label	Adaptaflex
Color	White
Flexibility	High
Inside Diameter	40.4 mm
Material	Galvanised Steel Core, String Packed and Thermoplastic Jacket
Nominal Size	1-1/2 in
Number of Batteries	0
Outside Diameter	47.5 mm
Product Name	FLEXIBLE METAL CONDUIT
Product Type	Anti-Microbial Conduit
Radius	240 mm
UPC	786210159782

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SSAMHL50/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SSAMHL50/10M

Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5543 >> Liquid Tight Conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

