

PRODUCT-DETAILS

# SPB12/10M

## STEEL PVC BRAID COND 10M REELS



### General Information

Extended Product Type	SPB12/10M
Product ID	7TCA296040R0100
EAN	5020963048128
Catalog Description	STEEL PVC BRAID COND 10M REELS
Long Description	Highly Flexible Steel Conduit, Nominal Conduit Size 12mm, Outer Diameter 14.0mm, Inner Diameter 10.3mm, Maximum Bend Radius 30mm, Reel Length 10 Meters, Galvanised Steel Core with PVC Jacket and Galvanised Steel Overbraid

### Ordering

EAN	5020963048128
-----	---------------

### Dimensions

Product Net Depth / Length	10 m
Product Net Weight	3.26 lb 1.478 kg

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Enhanced EMI Screen - High Abrasion Resistance
Brand / Label	Adaptaflex
Flexibility	High
Material	Galvanized Steel Core and Overbraid with PVC Jacket
Nominal Size	5/16 in
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	High Flexibility Conduit
Radius	30 mm
Special Functions	Very High UV Protection
UPC	786210274638

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SPB12/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SPB12/10M

### Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

