

PRODUCT-DETAILS

# SB32/100M

## STEEL BRAIDED CONDUIT 100M DRUM



### General Information

Extended Product Type	SB32/100M
Product ID	7TCA296040R0170
EAN	5020963802485
Catalog Description	STEEL BRAIDED CONDUIT 100M DRUM
Long Description	Low Fire Hazard, High Flexibility, Covered Steel Conduit, Nominal Conduit Size 32mm, Outside Diameter 34.0mm, Inside Diameter 28.1mm, Static Bend Radius 60mm, Reel Length 100 Meters, Galvanised Steel Core and Overbraid

### Ordering

EAN	5020963802485
-----	---------------

### Dimensions

Product Net Depth / Length	100 m
Product Net Weight	165 lb 74.83 kg

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	30 in 762 mm

Package Level 2 Height	16 in 406 mm
Package Level 2 Depth / Length	30 in 762 mm

---

### Additional Information

Application	Indoors / Outdoors - Standard EMI Screen - Very High Abrasion Resistance
Brand / Label	Adaptaflex
Flexibility	High
Inside Diameter	28.1 mm
Material	Galvanized Steel Core and Overbraid
Nominal Size	1 in
Number of Batteries	0
Outside Diameter	34.0 mm
Product Name	FLEXIBLE METAL CONDUIT
Product Type	Low Fire Hazard Conduit
Radius	60 mm
Special Functions	Very High UV Protection and High Fatigue Life
UPC	786210310626

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SB32/100M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SB32/100M

---

### Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

