

PRODUCT-DETAILS

# RF20/BL/10M

## ELECTROFLEX 160 SERIES CONDUIT 20MM



Product image  
not available

### General Information

Extended Product Type	RF20/BL/10M
Product ID	7TCA296060R0058
EAN	5020963031717
Catalog Description	ELECTROFLEX 160 SERIES CONDUIT 20MM
Long Description	Heavyweight Conduit - Smooth Boore, Nominal Conduit Size 20mm, Outside Diameter 20.5mm, Inside Diameter 16.0mm, Static Bend Radius 35mm, Reel Length 10 Meters, PVCu Spiral with Plasticised PVC Covering, Black

### Ordering

EAN	5020963031717
-----	---------------

### Dimensions

Product Net Depth / Length	10 m
Product Net Weight	3.53 lb 1.601 kg

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

## Additional Information

Application	Indoors / Outdoors, Torsional Equipment, electrical insulator
Brand / Label	Adaptaflex
Color	Black
Flexibility	Very High
Inside Diameter	16.0 mm
Material	PVCu Spiral with Plasticised Covering
Nominal Size	20 mm
Number of Batteries	0
Outside Diameter	20.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Smooth Boore
Radius	35 mm
Special Functions	High UV Protection
UPC	786210272344

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RF20/BL/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	RF20/BL/10M

## Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available