

PRODUCT-DETAILS

KFL16/50M

16MM LIGHTWEIGHT GREY PVC CORRUGATE



General Information

Extended Product Type	KFL16/50M
Product ID	7TCA296090R0020
EAN	5020963013799
Catalog Description	16MM LIGHTWEIGHT GREY PVC CORRUGATE
Long Description	Lightweight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 12.1mm, Static Bend Radius 25mm, Reel Length 50 Meters, PVCu, Grey

Ordering

EAN	5020963013799
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	3.86 lb 1.751 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors, General Purpose Applications
Brand / Label	Adaptaflex
Color	Gray
Flexibility	Pliable
Inside Diameter	12.1 mm
Material	PVCu
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	15.8 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Fine Pitch
Radius	25 mm
UPC	786210247892

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	KFL16/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	KFL16/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

