

PRODUCT-DETAILS

KFL25/50M

25MM LIGHTWEIGHT GREY PVC CORRUGATE



General Information

Extended Product Type	KFL25/50M
Product ID	7TCA296090R0025
EAN	5020963010415
Catalog Description	25MM LIGHTWEIGHT GREY PVC CORRUGATE
Long Description	Lightweight Conduit, Nominal Conduit Size 25mm, NW Conduit Size 22, Fine Conduit Pitch, Outside Diameter 24.8mm, Inside Diameter 19.9mm, Static Bend Radius 40mm, Reel Length 50 Meters, PVCu, Grey

Ordering

EAN	5020963010415
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	8.27 lb 3.751 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors, General Purpose Applications
Brand / Label	Adaptaflex
Color	Gray
Flexibility	Pliable
Inside Diameter	19.9 mm
Material	PVCu
Nominal Size	25 mm
Number of Batteries	0
Outside Diameter	24.8 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Fine Pitch
Radius	40 mm
UPC	786210247953

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	KFL25/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	KFL25/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

