

PRODUCT-DETAILS

# CPCMTC42/BL/25M

## T/C BRD CPCM42 25M REELS



Product image  
not available

### General Information

Extended Product Type	CPCMTC42/BL/25M
Product ID	7TCA296100R0003
EAN	5020963020971
Catalog Description	T/C BRD CPCM42 25M REELS
Long Description	Medium Weight Conduit with Tinner Copper Braid, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 34.2mm, Static Bend Radius 60mm, Reel Length 25 Meters, Polyester, Black

### Ordering

EAN	5020963020971
-----	---------------

### Dimensions

Product Net Depth / Length	25 m
Product Net Weight	66.55 lb 30.181 kg

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors, Low Temperature Flexing, High Impact Resistance
Brand / Label	Adaptaflex
Color	Black
Flexibility	Very High
Inside Diameter	34.2 mm
Material	Polyester
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	ADAPTAFLEX
Product Type	Medium Weight Conduit with Coarse Pitch and Tinned Copper Braid
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210273556

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPCMTC42/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	CPCMTC42/BL/25M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available