

PRODUCT-DETAILS

# CPFMTC21/BL/50M

## T/C BRD CPFM21 50M REELS



Product image  
not available

### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | CPFMTC21/BL/50M   |
| Product ID            | 7TCA296100R0006   |
| EAN                   | 5020963020988   |
| Catalog Description   | T/C BRD CPFM21 50M REELS  |
| Long Description      | Medium Weight Conduit with Tinned Copper Overbraid, Conduit Size NW 21mm, Reel Length 50 Meters, Polyamide 6, Black |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5020963020988 |
|-----|---------------|

### Dimensions

|                            |                       |
|----------------------------|-----------------------|
| Product Net Depth / Length | 50 m                  |
| Product Net Weight         | 119.49 lb<br>54.19 kg |

### Container Information

|                       |               |
|-----------------------|---------------|
| Package Level 2 Units | 1 piece       |
| Package Level 2 Width | 1 in<br>25 mm |

|                                |               |
|--------------------------------|---------------|
| Package Level 2 Height         | 1 in<br>25 mm |
| Package Level 2 Depth / Length | 1 in<br>25 mm |

### Additional Information

|                     |   |
|---------------------|---|
| Application         | Indoors / Outdoors, Low Temperature Flexing, High Impact Resistance |
| Brand / Label       | Adaptaflex  |
| Color               | Black   |
| Flexibility         | Very High   |
| Material            | Polyester with Tinner Copper Overbraid                              |
| Nominal Size        | NW21  |
| Number of Batteries | 0   |
| Product Name        | ADAPTAFLEX  |
| Product Type        | Medium Weight Conduit with Fine Pitch and Tinned Copper Braid       |
| Special Functions   | Very High UV Protection and Fatigue Life                            |
| UPC                 | 786210274096  |

### Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | CPFMTC21/BL/50M |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| Instructions and Manuals          | CPFMTC21/BL/50M |

### Classifications

|                                    |                                    |
|------------------------------------|------------------------------------|
| ETIM 6                             | EC001175 - Corrugated plastic hose |
| ETIM 7                             | EC001175 - Corrugated plastic hose |
| UNSPSC                             | 39131706                           |
| WEEE Category                      | Product Not in WEEE Scope          |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit         |

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available