

PRODUCT-DETAILS

PKCS34/BL/50M

34MM PEEK BLACK CONDUIT 50M



General Information

Extended Product Type	PKCS34/BL/50M
Product ID	7TCA296100R0085
EAN	5020963015946
Catalog Description	34MM PEEK BLACK CONDUIT 50M
Long Description	Standard Weight, High Flexibility Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.3mm, Inside Diameter 27.7mm, Static Bend Radius 85mm, Reel Length 50 Meters, Polyketone, Black

Ordering

EAN	5020963015946
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	13.23 lb 6 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Extreme Temperature and Underground Applications
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	27.7 mm
Material	Polyketone
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.3 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	85 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210270449

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PKCS34/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PKCS34/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

