

PRODUCT-DETAILS

PKCSTC28/BL/25M

TIN COPPER BRAIDED PKCS28



General Information

| | |
|-----------------------|--|
| Extended Product Type | PKCSTC28/BL/25M |
| Product ID | 7TCA296100R0091 |
| EAN | 5020963050619 |
| Catalog Description | TIN COPPER BRAIDED PKCS28 |
| Long Description | Highly Flexible Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Course Conduit Pitch, Outside Diameter 30.0mm, Inside Diameter 21.7mm, Static Bend Radius 65mm, Reel Length 25 Meters, Polyketone with Tinner Copper Overbraid |

Ordering

| | |
|-----|---------------|
| EAN | 5020963050619 |
|-----|---------------|

Dimensions

| | |
|----------------------------|---------------------|
| Product Net Depth / Length | 25 m |
| Product Net Weight | 3.31 lb 1.501 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 1 Units | 1 piece |
| Package Level 2 Units | 1 piece |

| | |
|--------------------------------|---------------|
| Package Level 2 Width | 1 in 25 mm |
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Nuclear, Extreme Temperature, Underground Environments |
| Brand / Label | Adaptaflex |
| Flexibility | High |
| Inside Diameter | 21.7 mm |
| Material | Polyketone |
| Nominal Size | 28 mm |
| Number of Batteries | 0 |
| Outside Diameter | 30.0 mm |
| Product Name | ADAPTAFLEX |
| Product Type | Standard Weight Conduit with Coarse Pitch and Tinned Copper Overbraid |
| Radius | 65 mm |
| Special Functions | Very High UV Protection and Fatigue Life |
| UPC | 786210270418 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PKCSTC28/BL/25M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | PKCSTC28/BL/25M |

Classifications

| | |
|------------------------------------|------------------------------------|
| ETIM 6 | EC001175 - Corrugated plastic hose |
| ETIM 7 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

