

PRODUCT-DETAILS

PKFS13/BL/25M

13MM PEEK CONDUIT BLACK 25M COIL



General Information

Extended Product Type	PKFS13/BL/25M
Product ID	7TCA296100R0094
EAN	5020963788086
Catalog Description	13MM PEEK CONDUIT BLACK 25M COIL
Long Description	Standard Weight, High Flexibility Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.2mm, Inside Diameter 10.0mm, Static Bend Radius 35mm, Reel Length 25 Meters, Polyketone, Black

Ordering

EAN	5020963788086
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	1.38 lb 625.85 g

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Extreme Temperature and Underground Applications
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	10.0 mm
Material	Polyketone
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.2 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit with Fine Pitch
Radius	35 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210243511

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PKFS13/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PKFS13/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

