

PRODUCT-DETAILS

# PKFS21/BL/25M

## PEEK 21 MM BLACK 25M



### General Information

Extended Product Type	PKFS21/BL/25M
Product ID	7TCA296100R0099
EAN	5020963034916
Catalog Description	PEEK 21 MM BLACK 25M
Long Description	Standard Weight, High Flexibility Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.6mm, Static Bend Radius 60mm, Reel Length 25 Meters, Polyketone, Black

### Ordering

EAN	5020963034916
-----	---------------

### Dimensions

Product Net Depth / Length	25 m
Product Net Weight	2.43 lb 1.102 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Extreme Temperature and Underground Applications
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	16.6 mm
Material	Polyketone
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	plastic conduit
Product Type	Standard Weight Conduit with Fine Pitch
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210243535

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PKFS21/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PKFS21/BL/25M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

