

PRODUCT-DETAILS

# PRCSSS28/BL/10M

## S/S BRD PRCS28 10M REELS



### General Information

Extended Product Type	PRCSSS28/BL/10M
Product ID	7TCA296100R0116
EAN	5020963047145
Catalog Description	S/S BRD PRCS28 10M REELS
Long Description	Standard Weight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Coarse Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 21.7mm, Static Bend Radius 70mm, Reel Length 10 Meters, Modified Polyamide (Nylon) 6 with Stainless Steel Overbraid, Black

### Ordering

EAN	5020963047145
-----	---------------

### Dimensions

Product Net Depth / Length	10 m
Product Net Weight	2.2 lb 997.732 g

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

**Additional Information**

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	21.7 mm
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraided
Nominal Size	28 mm
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch and Stainless Steel Overbraided
Radius	70 mm
Special Functions	Very High UV Protection
UPC	786210271231

**Certificates and Declarations (Document Number)**

Data Sheet, Technical Information	PRCSSS28/BL/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRCSSS28/BL/10M

**Classifications**

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

**Categories**

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

