

PRODUCT-DETAILS

# PRCSSS34/BL/25M

## S/S BRD PRCS34 25M REELS



### General Information

Extended Product Type	PRCSSS34/BL/25M
Product ID	7TCA296100R0122
EAN	5020963049422
Catalog Description	S/S BRD PRCS34 25M REELS
Long Description	Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 75mm, Reel Length 25 Meters, Modified Polyamide (Nylon) 6 with Stainless Steel Overbraid, Black

### Ordering

EAN	5020963049422
-----	---------------

### Dimensions

Product Net Depth / Length	25 m
Product Net Weight	7.72 lb 3.501 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

**Additional Information**

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	27.7 mm
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraid
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit with Coarse Pitch and Stainless Steel Overbraid
Radius	75 mm
Special Functions	Very High UV Protection
UPC	786210243634

**Certificates and Declarations (Document Number)**

Data Sheet, Technical Information	PRCSSS34/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRCSSS34/BL/25M

**Classifications**

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

**Categories**

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

