

PRODUCT-DETAILS

PRCSTC28/BL/50M

T/C BRD PRCS28 50M REELS



General Information

Extended Product Type	PRCSTC28/BL/50M
Product ID	7TCA296100R0129
EAN	5020963014291
Catalog Description	T/C BRD PRCS28 50M REELS
Long Description	Standard Weight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Coarse Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 21.7mm, Static Bend Radius 70mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6 with Tinned Copper Overbraid, Black

Ordering

EAN	5020963014291
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	11.02 lb 4.998 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	21.7 mm
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraided
Nominal Size	28 mm
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch and Tinned Copper Overbraided
Radius	70 mm
Special Functions	Very High UV Protection
UPC	786210271255

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PRCSTC28/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRCSTC28/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

