

PRODUCT-DETAILS

# PRCSTC34/BL/50M

## T/C BRD PRCS34 50M REELS



### General Information

Extended Product Type	PRCSTC34/BL/50M
Product ID	7TCA296100R0131
EAN	5020963011757
Catalog Description	T/C BRD PRCS34 50M REELS
Long Description	Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 75mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6 with Tinned Copper Overbraid, Black

### Ordering

EAN	5020963011757
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	59.4 lb 26.939 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

**Additional Information**

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	27.7 mm
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraided
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch and Tinned Copper Overbraided
Radius	75 mm
Special Functions	Very High UV Protection
UPC	786210243702

**Certificates and Declarations (Document Number)**

Data Sheet, Technical Information	PRCSTC34/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRCSTC34/BL/50M

**Classifications**

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

**Categories**

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

