

PRODUCT-DETAILS

PRCSTC54/BL/25M

T/C BRD PRCS54 25M REELS



General Information

| | |
|-----------------------|---|
| Extended Product Type | PRCSTC54/BL/25M |
| Product ID | 7TCA296100R0134 |
| EAN | 5020963788383 |
| Catalog Description | T/C BRD PRCS54 25M REELS |
| Long Description | Standard Weight Conduit, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 35.1mm, Static Bend Radius 90mm, Reel Length 25 Meters, Modified Polyamide (Nylon) 6 with Tinned Copper Overbraid, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963788383 |
|-----|---------------|

Dimensions

| | |
|----------------------------|-----------------------|
| Product Net Depth / Length | 25 m |
| Product Net Weight | 52.64 lb 23.873 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 1 Units | 1 piece |
| Package Level 2 Units | 1 piece |

| | |
|--------------------------------|---------------|
| Package Level 2 Width | 1 in 25 mm |
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Indoors, Public Areas, Rail Infrastructure |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | High |
| Inside Diameter | 35.1 mm |
| Material | Modified Polyamide/Nylon 6 with Stainless Steel Overbraid |
| Nominal Size | 42 mm |
| Number of Batteries | 0 |
| Outside Diameter | 42.5 mm |
| Product Name | "flexible conduit, nylon" |
| Product Type | Standard Weight Conduit with Coarse Pitch and Tinned Copper Overbraid |
| Radius | 90 mm |
| Special Functions | Very High UV Protection |
| UPC | 786210243726 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PRCSTC54/BL/25M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | PRCSTC54/BL/25M |

Classifications

| | |
|------------------------------------|------------------------------------|
| ETIM 6 | EC001175 - Corrugated plastic hose |
| ETIM 7 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

