

PRODUCT-DETAILS

PRFSSS16/BL/50M

S/S BRD PR CONDUIT 50M REELS



General Information

Extended Product Type	PRFSSS16/BL/50M
Product ID	7TCA296100R0137
EAN	5020963016004
Catalog Description	S/S BRD PR CONDUIT 50M REELS
Long Description	Standard Weight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.7mm, Static Bend Radius 45mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6 with Stainless Steel Overbraid, Black

Ordering

EAN	5020963016004
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	4.19 lb 1.9 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	11.7 mm
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraid
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	15.8 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit with Fine Pitch and Stainless Steel Overbraid
Radius	45 mm
Special Functions	Very High UV Protection
UPC	786210243818

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PRFSSS16/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRFSSS16/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

