

PRODUCT-DETAILS

PRFSTC16/BL/50M

T/C BRD PRFS16 50M REELS



General Information

Extended Product Type	PRFSTC16/BL/50M
Product ID	7TCA296100R0140
EAN	5020963011764
Catalog Description	T/C BRD PRFS16 50M REELS
Long Description	Standard Weight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 17.5mm, Inside Diameter 11.7mm, Static Bend Radius 35mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6 with Tinned Copper Overbraid, Black

Ordering

EAN	5020963011764
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	4.2 lb 1.905 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	3 in 76 mm
Package Level 2 Height	16 in 406 mm
Package Level 2 Depth / Length	16 in 406 mm

Additional Information

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	11.7 mm
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraid
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	17.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit with Fine Pitch and Tinned Copper Overbraid
Radius	35 mm
Special Functions	Very High UV Protection
UPC	786210243832

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PRFSTC16/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRFSTC16/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

