

PRODUCT-DETAILS

PFFSTC21/BL/50M

TINNED COPPER BRAIDED PFFS21



Product image
not available

General Information

Extended Product Type	PFFSTC21/BL/50M
Product ID	7TCA296100R0230
EAN	5020963802690
Catalog Description	TINNED COPPER BRAIDED PFFS21
Long Description	Standard Weight Conduit with Tinner Copper Braid, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 15.3mm, Static Bend Radius 40mm, Reel Length 50 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963802690
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	19.84 lb 8.998 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	20 in

	508 mm
Package Level 2 Height	20 in
	508 mm
Package Level 2 Depth / Length	10 in
	254 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	15.3 mm
Material	Polyamide 12
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	PLASTIC COPOSITE TUBING
Product Type	Standard Weight Conduit with Fine Pitch and Tinned Copper Overbraid
Radius	40 mm
Special Functions	High Impact Resistance
UPC	786210315263

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFFSTC21/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFFSTC21/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available