

PRODUCT-DETAILS

SS32/10M

10M SS32 CONDUIT



General Information

| | |
|-----------------------|--|
| Extended Product Type | SS32/10M |
| Product ID | 7TCA296120R0030 |
| EAN | 5020963011887 |
| Catalog Description | 10M SS32 CONDUIT |
| Long Description | Inherent Low Fire Hazard Conduit, Nominal Conduit Size 32mm, Outside Diameter 32.0mm, Inside Diameter 28.1mm, Static Bend Radius 60mm, Reel Length 10 Meters, 316 Stainless Steel, Corrosion Resistant |

Ordering

| | |
|-----|---------------|
| EAN | 5020963011887 |
|-----|---------------|

Dimensions

| | |
|----------------------------|---------------------|
| Product Net Depth / Length | 10 m |
| Product Net Weight | 7.94 lb 3.601 kg |

Container Information

| | |
|-----------------------|---------------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in 25 mm |

| | |
|--------------------------------|---------------|
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Indoors / Outdoors - Corrosive Environments |
| Brand / Label | Adaptaflex |
| Flexibility | Very High |
| Inside Diameter | 28.1 mm |
| Material | Stainless Steel |
| Nominal Size | 1 in |
| Number of Batteries | 0 |
| Outside Diameter | 32.0 mm |
| Product Name | STAINLESS STEEL CONDUIT |
| Product Type | Low Fire Hazard Conduit |
| Radius | 60 mm |
| Special Functions | Very High UV Protection and Fatigue Life |
| UPC | 786210260815 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SS32/10M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SS32/10M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

