

PRODUCT-DETAILS

LFH-SP731/075/30M

SP731/075 LOW FIRE HAZARD30M



General Information

| | |
|-----------------------|--|
| Extended Product Type | LFH-SP731/075/30M |
| Product ID | 7TCA296130R0024 |
| EAN | 5020963008481 |
| Catalog Description | SP731/075 LOW FIRE HAZARD30M |
| Long Description | Liquid Resistant, Low Fire Hazard Conduit, Size 3/4 Inch, IP54 and IP65 Rating, Polyolefin Covered Galvanised Steel, Length 30 Meters, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963008481 |
|-----|---------------|

Dimensions

| | |
|----------------------------|----------------------|
| Product Net Depth / Length | 30 m |
| Product Net Weight | 25.38 lb 11.51 kg |

Container Information

| | |
|-----------------------|---------------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in 25 mm |

| | |
|--------------------------------|---------------|
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Rail, Buildings - Where Low Smoke & Toxicity is a Primary Concern |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | Medium |
| Material | Galvanized Steel Core with Low Fire Hazard Jacket |
| Nominal Size | 3/4 in |
| Number of Batteries | 0 |
| Product Name | ADAPTAFLEX |
| Product Type | Medium Flexibility Conduit |
| Special Functions | High UV Protection, Low Fire Hazard |
| UPC | 786210248615 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-------------------|
| Data Sheet, Technical Information | LFH-SP731/075/30M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | LFH-SP731/075/30M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

