

PRODUCT-DETAILS

# KFS16/W/50M

## KORIFIT WHITE 16MM PVC STAND.



### General Information

Extended Product Type	KFS16/W/50M
Product ID	7TCA296140R0035
EAN	5020963006838
Catalog Description	KORIFIT WHITE 16MM PVC STAND.
Long Description	Standard Weight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.9mm, Static Bend Radius 25mm, Reel Length 50 Meters, PVCu, White

### Ordering

EAN	5020963006838
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	4.52 lb 2.05 kg

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors, General Purpose Applications
Brand / Label	Adaptaflex
Color	White
Flexibility	Pliable
Inside Diameter	11.9 mm
Material	PVCu
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	15.8 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	25 mm
UPC	786210248172

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	KFS16/W/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	KFS16/W/50M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

