

PRODUCT-DETAILS

KFS25/W/50M

KORIFIT WHITE 25MM PVC STAND.



General Information

Extended Product Type	KFS25/W/50M
Product ID	7TCA296140R0040
EAN	5020963006371
Catalog Description	KORIFIT WHITE 25MM PVC STAND.
Long Description	Standard Weight Conduit, Nominal Conduit Size 25mm, NW Conduit Size 22, Fine Conduit Pitch, Outside Diameter 24.8mm, Inside Diameter 19.7mm, Static Bend Radius 40mm, Reel Length 50 Meters, PVCu, Grey

Ordering

EAN	5020963006371
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	11.02 lb 4.998 kg

Container Information

Package Level 1 Units	2 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	16 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	Indoors / Outdoors, General Purpose Applications
Brand / Label	Adaptaflex
Color	Gray
Flexibility	Pliable
Inside Diameter	19.7 mm
Material	PVCu
Nominal Size	25 mm
Number of Batteries	0
Outside Diameter	24.8 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	40 mm
UPC	786210277660

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	KFS25/W/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	KFS25/W/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

