

PRODUCT-DETAILS

RF12/BL/30M

E-FLEX 160 SERIES CONDUIT 12MM 30M



Product image
not available

General Information

Extended Product Type	RF12/BL/30M
Product ID	7TCA296150R0000
EAN	5020963048319
Catalog Description	E-FLEX 160 SERIES CONDUIT 12MM 30M
Long Description	Heavyweight Conduit - Smooth Boore, Nominal Conduit Size 12mm, Outside Diameter 14.5mm, Inside Diameter 10.0mm, Static Bend Radius 25mm, Reel Length 30 Meters, PVCu Spiral with Plasticised PVC Covering, Black

Ordering

EAN	5020963048319
-----	---------------

Dimensions

Product Net Depth / Length	30 m
Product Net Weight	6.94 lb 3.147 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors, Torsional Equipment, electrical insulator
Brand / Label	Adaptaflex
Color	Black
Flexibility	Very High
Inside Diameter	10.0 mm
Material	PVCu Spiral with Plasticised Covering
Nominal Size	12 mm
Number of Batteries	0
Outside Diameter	14.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Smooth Boore
Radius	25 mm
Special Functions	High UV Protection
UPC	786210272306

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RF12/BL/30M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	RF12/BL/30M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available