

PRODUCT-DETAILS

RF25/BL/10M

ELECTROFLEX 160 SERIES CONDUIT 25MM



Product image
not available

General Information

Extended Product Type	RF25/BL/10M
Product ID	7TCA296150R0007
EAN	5020963053870
Catalog Description	ELECTROFLEX 160 SERIES CONDUIT 25MM
Long Description	Heavyweight Conduit - Smooth Boore, Nominal Conduit Size 25mm, Outside Diameter 27.5mm, Inside Diameter 22.0mm, Static Bend Radius 50mm, Reel Length 10 Meters, PVCu Spiral with Plasticised PVC Covering, Black

Ordering

EAN	5020963053870
-----	---------------

Dimensions

Product Net Depth / Length	10 m
Product Net Weight	9.5 lb 4.308 kg

Container Information

Package Level 1 Units	4 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	4 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	Indoors / Outdoors, Torsional Equipment, electrical insulator
Brand / Label	Adaptaflex
Color	Black
Flexibility	Very High
Inside Diameter	22.0 mm
Material	PVCu Spiral with Plasticised Covering
Nominal Size	25 mm
Number of Batteries	0
Outside Diameter	27.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Smooth Boore
Radius	50 mm
Special Functions	High UV Protection
UPC	786210272351

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RF25/BL/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	RF25/BL/10M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available