

PRODUCT-DETAILS

RF25/GR/30M

R/FLEX 25MM GREY 30MTR



Product image
not available

General Information

Extended Product Type	RF25/GR/30M
Product ID	7TCA296150R0010
EAN	5020963019296
Catalog Description	R/FLEX 25MM GREY 30MTR
Long Description	Heavyweight Conduit - Smooth Boore, Nominal Conduit Size 25mm, Outside Diameter 27.5mm, Inside Diameter 22.0mm, Static Bend Radius 50mm, Reel Length 30 Meters, PVCu Spiral with Plasticised PVC Covering, Grey

Ordering

EAN	5020963019296
-----	---------------

Dimensions

Product Net Depth / Length	30 m
Product Net Weight	15.21 lb 6.898 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors, Torsional Equipment, electrical insulator
Brand / Label	Adaptaflex
Color	Gray
Flexibility	Very High
Inside Diameter	22.0 mm
Material	PVCu Spiral with Plasticised Covering
Nominal Size	25 mm
Number of Batteries	0
Outside Diameter	27.5 mm
Product Name	PVC FLEX. ELECTRICAL CONDUIT
Product Type	Heavyweight Conduit with Smooth Boore
Radius	50 mm
Special Functions	High UV Protection
UPC	786210258775

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RF25/GR/30M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	RF25/GR/30M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available