

PRODUCT-DETAILS

AT28/M25/A/BLY

28MM M25 MALEFTNG BL STR BLY



General Information

Extended Product Type	AT28/M25/A/BLY
Product ID	7TCA296170R0396
EAN	5020963037535
Catalog Description	28MM M25 MALEFTNG BL STR BLY
Long Description	Adaptalok ATS, Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 28mm, M25 Thread, Polyamide (Nylon) 66/TPE, Black with Yellow Elastomer

Ordering

EAN	5020963037535
-----	---------------

Dimensions

Product Net Weight	.044 lb 19.955 g
--------------------	---------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	1 in 25 mm

Package Level 1 Depth / Length	10 in 254 mm
Package Level 2 Units	150 piece
Package Level 2 Width	14.5 in 368 mm
Package Level 2 Height	6 in 152 mm
Package Level 2 Depth / Length	14.5 in 368 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M25 Thread
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	Plastic fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	NC 28mm
UPC	786210282688

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AT28/M25/A/BLY
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AT28/M25/A/BLY

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

