

PRODUCT-DETAILS

AT34-28/A/U/BLY

34-28 REDUCING COUPLER



General Information

Extended Product Type	AT34-28/A/U/BLY
Product ID	7TCA296170R0481
EAN	5020963052149
Catalog Description	34-28 REDUCING COUPLER
Long Description	Adaptalok ATS, Reducing Swivel Coupler, Nominal Conduit Size 34mm to 28mm, Polyamide (Nylon) 66/TPE, Black with Yellow Elastomer

Ordering

EAN	5020963052149
-----	---------------

Dimensions

Product Net Depth / Length	89 mm
Product Net Weight	.12 lb 54.422 g

Container Information

Package Level 2 Units	10 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	For Coupling Two Corrugated Flexible Conduits
Brand / Label	Adaptaflex
Color	Black/Yellow Elastomer
Coupling Style	Self-Lock
Material	Polyamide/Nylon 6.6 and TPE
Nominal Size	NC34 to NC28
Number of Batteries	0
Outside Diameter	44.2 mm 37.2 mm
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Reducing Swivel Coupler
Special Functions	Very High UV Protection
UPC	786210302966

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AT34-28/A/U/BLY
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AT34-28/A/U/BLY

Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

