

PRODUCT-DETAILS

AT34/M32/S45/BLY

ATS 34MM SWIVEL M32 MALE 45 ELBOW B



General Information

Extended Product Type	AT34/M32/S45/BLY
Product ID	7TCA296170R0534
EAN	5020963039492
Catalog Description	ATS 34MM SWIVEL M32 MALE 45 ELBOW B
Long Description	Adaptalok ATS, 45 Degree Conduit Fitting, Swivel External Male Thread, Nominal Conduit Size 34mm, M32 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer

Ordering

EAN	5020963039492
-----	---------------

Dimensions

Product Net Weight	.26 lb 117.914 g
--------------------	---------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in

	25 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	50 piece
Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M32 Thread
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	Plastic fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	NC 34mm
UPC	786210283296

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AT34/M32/S45/BLY
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AT34/M32/S45/BLY

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

