
PRODUCT-DETAILS

HNC25/50M

HI-SPEC NYLON CONDUIT NC25 50M BLK



General Information

Extended Product Type	HNC25/50M
Product ID	7TCA298000R0168
EAN	5020963790041
Catalog Description	HI-SPEC NYLON CONDUIT NC25 50M BLK
Long Description	Low Temperature, Extra Flexible Conduit, NC Size 25/NW Size 22, Outside Diameter 25.3mm, Inside Diameter 21.0mm, Static Bend Radius 40mm, Very High UV Resistance and Fatigue Life, IP40 Rating, Polyamide 12, Reel Length 50 Meters, Black

Ordering

EAN	5020963790041
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	8.4 lb 3.81 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	21.26 in 540 mm

Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	21.26 in 540 mm
Package Level 2 Units	18 piece
Package Level 2 Width	39.37 in 1000 mm
Package Level 2 Height	46.46 in 1180 mm
Package Level 2 Depth / Length	47.24 in 1200 mm

Additional Information

Application	Used in Applications Requiring Repeated Flexing Coupled with Low Temperature Impact Resistance, Such as Robotics or Rapid Continuous Motion, Demanding High Fatigue Life and Extra Flexibility Even in Low Temperature Environments
Brand / Label	Harnessflex
Color	Black
Flexibility	Very High
Inside Diameter	21.0 mm
Material	Polyamide/Nylon 12
Nominal Size	NC25/NW22
Number of Batteries	0
Outside Diameter	25.3 mm
Product Name	HARNESSFLEX
Product Type	Low Temperature, Extra Flexible Conduit
Radius	Static: 40 mm
Special Functions	Self Extinguishing, Low Smoke Toxicity & Halogen Free
Standards	ADR Approved, RoHS, Conforms with End of Life Vehicle Directive (ELV) EU200/53/EC
UPC	786210244860

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	HNC25/50M
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	HNC25/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5540 >> Flexible Non-Metallic Conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

