

PRODUCT-DETAILS

# PP12/50M

## POLYPROPYLENE 13MM BLACK 50M COIL



Product image  
not available

### General Information

Extended Product Type	PP12/50M
Product ID	7TCA298000R0300
EAN	5020963029646
Catalog Description	POLYPROPYLENE 13MM BLACK 50M COIL
Long Description	Medium Weight, Highly Flexible Conduit, NC Size 12/NW Size 10, Outside Diameter 13.0mm, Inside Diameter 9.6mm, Static Bend Radius 25mm, High UV Resistance and Acid Resistance, IP40 Rating, Modified Polypropylene, Reel Length 50 Meters, Black

### Ordering

EAN	5020963029646
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	2.21 lb 1.002 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	15.75 in 400 mm

Package Level 1 Height	5.91 in 150 mm
Package Level 1 Depth / Length	15.75 in 400 mm
Package Level 2 Units	66 piece
Package Level 2 Width	39.37 in 1000 mm
Package Level 2 Height	46.46 in 1180 mm
Package Level 2 Depth / Length	47.24 in 1200 mm

## Additional Information

Application	Lighter Applications Where Compression Strength and LFH is Not as Important But Acid Resistance is Needed
Brand / Label	Harnessflex
Color	Black
Flexibility	High
Inside Diameter	9.6 mm
Material	Modified Polypropylene
Nominal Size	NC12/NW10
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	HARNESSFLEX
Product Type	Medium Weight Conduit
Radius	Static: 25 mm
Standards	RoHS Compliant, Conforms with end of life vehicle directive (ELV) EU200/53/EC
UPC	786210271132

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PP12/50M
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	PP12/50M

## Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5540 >> Flexible Non-Metallic Conduit

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available