

PRODUCT-DETAILS

## YPS252525

## Y PIECE NC25-25-25 BLACK NYLON TOOL



General Information	
Extended Product Type	YPS252525
Product ID	7TCA298010R0962
EAN	5020963021275
Catalog Description	Y PIECE NC25-25-25 BLACK NYLON TOOL
Long Description	Hinged Conduit Joiner, Y-Shape, Conduit Size A: NC25/NW22, Size B: NC25/NW22, Size C: NC25/NW22, Operating Temperature -40 to 120 Degrees Celsius, RoHS Compliant, IP40 Rating, Very High UV Protection, Polyamide (Nylon), Black

Ordering	
EAN	5020963021275

Dimensions	
Product Net Weight	.053 lb
<u> </u>	24.036 g

Container Information	
Package Level 2 Units	150 piece
Package Level 2 Width	14 in
	356 mm
Package Level 2 Height	6 in

	152 mm
Package Level 2 Depth /	14 in
Length	356 mm

Additional Information	
Application	Designed to Snap Together Over All Types of Slit and Unslit Conduit, Maintaining Maximum Conduit Bore
Brand / Label	Harnessflex
Color	Black
Flexibility	Rigid
Material	Polyamide/Nylon
Number of Batteries	0
Product Name	Plastic fitting for conduit
Product Type	Y-Shaped Hinged Conduit Joiner
Size	Conduit Sizes A: NC25/NW22, B: NC25/NW22, C: NC25/NW22
Special Functions	Can Be Use as an In-Line Reducer as well as Enlarger
Standards	RoHS, Conforms with End of Life Vehicle Directive (ELV) EU200/53/EC
UPC	786210254562

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	YP\$252525
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	YPS252525

Classifications	
ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131717
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5746 >> Electrical conduit elbow

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$ 

YPS252525 3

