

## Inset Trend 75 Swing - Kit

ES50 GU10 LED 7.5W 40°

**3001714**



### Range features

- Britespot ES50 for high light output
- Compact design
- Available in several coloured finishes
- Easy installation and relamping
- Inset Kit LED comes with: - 1 x Inset Trend 75 Swing luminaire - 1 x Sylvania 7.5W GU10 LED retrofit lamp



### PRODUCT OVERVIEW

<b>Technology</b>	LED
<b>Ordering number</b>	3001714
<b>EAN code</b>	8711971017141
<b>Mount</b>	Ceiling recessed
<b>Housing</b>	Aluminium
<b>LOR (%)</b>	1
<b>Beam angle (°)</b>	40°
<b>Voltage (V)</b>	230
<b>Lamps</b>	LED 7.5W GU10
<b>Colour</b>	White
<b>Included lamp</b>	0026749
<b>IP rating</b>	23
<b>IK rating</b>	2

## Inset Trend 75 Swing - Kit

ES50 GU10 LED 7.5W 40°

3001714

## DATA TABLE

## General data

<b>Technology</b>	LED
<b>Ordering number</b>	3001714
<b>EAN code</b>	8711971017141
<b>E-number SE</b>	7462249
<b>Mount</b>	Ceiling recessed
<b>Long description</b>	Britespot ES50 for high light output. Compact design . Available in several coloured finishes . Easy installation and relamping. Inset Kit LED comes with: - 1 x Inset Trend 75 Swing luminaire - 1 x Sylvania 7.5W GU10 LED retrofit lamp
<b>Product name</b>	ES50 GU10 LED 7.5W 40°
<b>Environment</b>	Interior
<b>General application</b>	Hospitality, Indoor Lighting
<b>Housing</b>	Aluminium
<b>Specific application</b>	Bathrooms, Lobbies, Reception Areas
<b>Sales pack quantity</b>	1

## Optical data

<b>LOR (%)</b>	1
<b>Beam angle(°)</b>	40°
<b>Distribution type</b>	Direct
<b>Optical system</b>	Aluminium Reflector

## Electrical data

<b>Voltage (V)</b>	230
<b>Lamps</b>	LED 7.5W GU10
<b>Number of heads</b>	1
<b>Transformer availability</b>	Included
<b>Transformer mounting</b>	Integral
<b>Total number of lamps</b>	1

# Inset Trend 75 Swing - Kit

ES50 GU10 LED 7.5W 40°

**3001714**

## Physical data

<b>Maximum distance from luminaire (cm)</b>	100
<b>Colour</b>	White
<b>Lamp included</b>	Yes
<b>Included lamp</b>	0026749
<b>IP rating</b>	23
<b>Vertical tilt (°)</b>	25°
<b>IK rating</b>	2
<b>Cutout shape</b>	Round
<b>Diameter (mm)</b>	75
<b>Recessed depth (mm)</b>	85
<b>Diffuser finish</b>	Clear
<b>Diffuser material</b>	Glass
<b>Emergency</b>	Without


## Inset Trend 75 Swing - Kit

ES50 GU10 LED 7.5W 40°

**3001714**

### TECHNICAL DRAWINGS

---



75 Swing  
minimum recess dimensions:  
200x200x85mm